

PRODUCT-DETAILS

## PS442P63 PS442P63 POLYSAFE ENCL. IP65 1000X1000X320 DD ; PS442P63



General Information	
Extended Product Type	PS442P63
Product ID	4TBP833036C0100
EAN	5411815251122
Catalog Description	PS442P63 POLYSAFE ENCL. IP65 1000X1000X320 DD ; PS442P63
Long Description	Cabinets with hinged door and centre bar are supplied assembled. The cabinets are made of self-extinguishing, glass-fibre reinforced and halogen-free polyester, coloured in RAL 7035 (light grey) and offer maximum protection for the operator and the built-in equipment by means of protective insulation and also a high degree of protection of IP65 in accordance with IEC 60529, EN 60529. The cabinets have a degree of protection of IK 10 according to EN 62262 and IEC 62262. Wall, floor, base and pole mounting. Combinable in height, width and depth. Rated insulation voltage Ui= 1000V PSS442 Cabinet 1000x1000x320 FT with hinged doorsIP65, IK10

Technical	
Number of Flange Openings	0
Number of Conduit Inlets	0
Number of Rows	0
Cover Plate Type	Door
Enclosure Type NEMA	Type12

PS442P63 2/3

Floor installation  Double
Untreated
Plastic
Closed
RAL 7035 - Light Grey
Grey
9AJK000580
Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
20220301
9AJK000617
True - contains substances > 0.1 mass percentage
9AKK108468A3363
8a5a8414-58a0-48a4-a881-f0c53a911417 Belgium (BE)
Sacco FFF Code Factor Federation FFFF Code FFFFF Code FFFF Code FFFFF Code FFFF Code
IP65
Isolated (Class II)
0 1000 mm
1000 mm
320 mm
020
38 kg
286 mm
Cabinet Plate 4 mm Door Plate 4 mm
box 1 piece
40 kg
9AJK000580

PS442P63 3/3

## Popular Downloads

Data Sheet, Technical 9AKK107680A5160
Information 9AKK107680A5160

## Classifications

ETIM 8	EC000058 - Empty cabinet
ETIM 9	EC000058 - Empty cabinet
WEEE Category	Product Not in WEEE Scope
WEEE B2C / B2B	Business To Business
eClass	V11.0 : 27142408

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Enclosures \rightarrow General\ Purpose\ Enclosures \rightarrow GRP\ cabinets \rightarrow Polysafe$ 







