



PRODUCT-DETAILS**PS330T43****PS330T43 Enclosure**

General Information

| | |
|-----------------------|--|
| Extended Product Type | PS330T43 |
| Product ID | 4TBP833853C0100 |
| EAN | 5411815253911 |
| Catalog Description | PS330T43 Enclosure |
| Long Description | <p>Cabinets with window door are delivered assembled. The cabinets are made of self-extinguishing, glass-fibre reinforced and halogen-free polyester, coloured in RAL 7035 (light grey) and offer maximum protection for the operator and the built-in equipment by means of protective insulation and also a high degree of protection of IP54 in accordance with IEC 60529, EN 60529. The cabinets have a degree of protection of IK 07 according to EN 62262 and IEC 62262. Wall, floor, base and pole mounting. Combinable in height, width and depth. Rated insulation voltage $Ui=1000V$ PSSF3304 Cabinet 750x750x320 with window door Polycarbonate windowIP54, IK07</p> |

Technical

| | |
|---------------------------|---|
| Number of Flange Openings | 0 |
| Number of Conduit Inlets | 0 |
| Number of Rows | 0 |

| | |
|------------------------|-----------------------|
| Cover Plate Type | Door |
| Enclosure Type NEMA | Type12 |
| Mounting Type | Floor installation |
| Door Type | Single |
| Surface Finishing | Untreated |
| Door Surface Finishing | Transparent |
| Housing Material | Plastic |
| Cover Style | with Notch |
| RAL Number | RAL 7035 - Light Grey |
| Color | Grey |

Material Compliance

| | |
|---------------------------|--|
| RoHS Information | 9AJK000580 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| RoHS Date | 20220301 |
| REACH Declaration | 9AJK000617 |
| REACH Information | False - does not contains substances > 0.1 mass percentage |
| Conflict Minerals | 9AKK108468A3363 |
| Reporting Template (CMRT) | |

Environmental

| | |
|----------------------|---------------------|
| Degree of Protection | IP54 |
| Protection Class | Isolated (Class II) |

Dimensions

| | |
|-------------------------------------|---------------------------------------|
| Width in Number of Modular Spacings | 0 |
| Product Net Width | 750 mm |
| Product Net Height | 750 mm |
| Product Net Depth / Length | 320 mm |
| Product Net Weight | 54.9 kg |
| Built-In Depth (t ₂) | 286 mm |
| Thickness | Cabinet Plate 4 mm Door Plate 4 mm |

Ordering

| | |
|------------------------------|-------------|
| Package Level 1 Units | box 1 piece |
| Package Level 1 Gross Weight | 57.7 kg |

Certificates and Declarations

| | |
|--------------------------------|------------|
| Declaration of Conformity - CE | 9AJK000580 |
|--------------------------------|------------|

Installation

Instructions and
Manuals

No document needed

Popular Downloads

Data Sheet, Technical
Information

9AKK107680A5160

Classifications

ETIM 8

EC000058 - Empty cabinet

ETIM 9

EC000058 - Empty cabinet

WEEE Category

Product Not in WEEE Scope

WEEE B2C / B2B

Business To Business

eClass

V11.0 : 27142408

Categories

Low Voltage Products and Systems → Enclosures → General Purpose Enclosures → GRP cabinets → Polysafe

