



PRODUCT-DETAILS

5337

2 IN INSUL. LIQ.TIGHT CONN STRAIGHT



General Information	
Extended Product Type	5337
Product ID	7TAD012150R0002
EAN	5414363075684
Catalog Description	2 IN INSUL. LIQ.TIGHT CONN STRAIGHT
Long Description	2 Inch Straight Malleable Iron Insulated Liquidtight Connector

Additional Information	
Application	Used where flexible metal raceway is installed in outdoor or indoor locations where exposed to continuous or intermittent moisture.
Product Type	Connectors-Straight

Ordering	
EAN	5414363075684
UPC	786210053370

<b>Technical</b>	
Number of Batteries	0
Material	Malleable Iron
Size	2 Inch

<b>Environmental</b>	
WEEE Category	Product Not in WEEE Scope
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

<b>Container Information</b>	
Package Level 1 Units	5 EA
Package Level 1 Height	95.25 mm 3.75 in
Package Level 1 Depth / Length	247.65 mm 9.75 in
Package Level 1 Width	165.1 mm 6.5 in

<b>Certificates and Declarations</b>	
Data Sheet, Technical Information	TDS000122
Instructions and Manuals	5337
Declaration of Conformity - CE	9AKK107492A9884

<b>Classifications</b>	
ETIM 8	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121420

<b>Categories</b>	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings	

