FEED-IN 25/15 1P 1/3



PRODUCT-DETAILS

FEED-IN 25/15 1P

FEED-IN 25/15 1P Feeder Terminal



General Information	
Extended Product Type	FEED-IN 25/15 1P
Product ID	2CSL980001R2515
EAN	8012542047957
Catalog Description	FEED-IN 25/15 1P Feeder Terminal
Long Description	Insulated terminal with pin connection, length: 15 mm.

Technical	
Suitable For	SN201, DS941, DS951
Suitable for Product Class	Miniature Circuit Breakers MCBs Residual Current Breakers with Overload Protection RCBo
Rated Operational Current (I _e)	80 A

Material Compliance	
RoHS Information	9AKK107492A3973
PoHS Status	Following FLI Directive 2011/65/FLI

FEED-IN 25/15 1P 2/3

RoHS Date	20160420
Conflict Minerals	9AKK108468A3363
Reporting Template	
(CMRT)	

Environmental

Environmental	document not needed
Information	

Dimensions	
Product Net Width	0.018 m
Product Net Height	0.027 m
Product Net Depth / Length	0.085 m
Product Net Weight	0.010 kg

Ordering

Package Level 1 Units	bag 5 piece
Package Level 1 Gross Weight	0.050 kg
E-Number (Finland)	3210879
E-Number (Sweden)	2100172

Certificates and Declarations

Declaration of	9AKK107492A3973
Conformity - CF	

Installation

Instructions and No document needed Manuals

Popular Downloads

Data Sheet, Technical	2CSC400002D0210
Information	

Classifications

ETIM 8	EC000001 - Busbar terminal
ETIM 9	EC000001 - Busbar terminal
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85389099
eClass	V11.0 : 27141146
Object Classification	Q
Code	

FEED-IN 25/15 1P 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Modular\ DIN\ Rail\ Products \rightarrow Miniature\ Circuit\ Breakers\ MCBs \rightarrow Miniature\ Circuit\ Breakers\ MCBs \rightarrow Miniature\ Circuit\ Breakers\ MCBs\ Accessories \rightarrow Busbars\ and\ Accessories\ (IEC\ Range)$

