



 PRODUCT-DETAILS

S2C-UA 12 DC

S2C-UA 12 DC Undervoltage Release



General Information

Extended Product Type	S2C-UA 12 DC
Product ID	2CSS200911R0001
EAN	8012542839705
Catalog Description	S2C-UA 12 DC Undervoltage Release

Long Description	The S2C-UA 12 DC undervoltage release has the function to protect the load in case of a voltage drop included between 70% and 35% of its rated value. Positive safety (device tripping when the voltage is disconnected) emergency stop by means of a button. Suitable for MCBs S200 series, RCCBs F200 series and RCBOs DS201, DS202C, DS200 series. It can be used with MCBs SN201 series by means of SN201-IH interface module. Rated voltage: 12V d.c.
------------------	--

Technical

Suitable For	S200 S300P SN201 F200 DS201 DS202C DS200 DS203NC
--------------	---

DSE201 M
SD200
DS-ARC1
S-ARC1

Suitable for Product
Class

Miniature Circuit Breakers MCBs
Residual Current Devices RCDs
Residual Current Breakers with Overload Protection RCBo

Rated Voltage (U _r)	12 V
Power Loss	2.2 W
Number of Contacts CO	0
Number of Contacts NC	0
Number of Contacts NO	0
Number of Switches	1

Material Compliance

RoHS Information	9AKK106713A5575
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20220528
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Environmental Information	document not needed
------------------------------	---------------------

Dimensions

Product Net Width	18 mm
Product Net Height	0.085 m
Product Net Depth / Length	0.074 m
Product Net Weight	0.090 kg

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.1 kg
E-Number (Finland)	3210839

Certificates and Declarations

Declaration of Conformity - CE	9AKK106713A5575
-----------------------------------	-----------------

Installation

Instructions and Manuals	2CSS490001D0010
-----------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	2CSC400002D0209
-----------------------------------	-----------------

Classifications

ETIM 8	EC001286 - Auxiliary device for distribution board devices
ETIM 9	EC001286 - Auxiliary device for distribution board devices
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85389099
UNSPSC	39121010
eClass	V11.0 : 27143502
IDEA Granular Category Code (IGCC)	4148 >> Under voltage coil
Object Classification Code	Q

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → ABB VY → Busbars and Accessories ABB VY → Accessories ABB VY

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs → Miniature Circuit Breakers MCBs Accessories → Undervoltage Releases

Low Voltage Products and Systems → Modular DIN Rail Products → Protection Against Arc Faults AFDDs → Protection Against Arc Faults AFDDs Accessories → Accessories for Arc Fault Detection Devices with Integrated Overcurrent and Residual Current Protection - AFDD+RCBO

Low Voltage Products and Systems → Modular DIN Rail Products → Protection Against Arc Faults AFDDs → Protection Against Arc Faults AFDDs Accessories → Accessories for Arc Fault Detection Devices with Integrated Overcurrent Protection - AFDD+MCB

