



 PRODUCT-DETAILS

S2C-H20L

S2C-H20L Auxiliary Contact



General Information

| | |
|-----------------------|--|
| Extended Product Type | S2C-H20L |
| Product ID | 2CDS200936R0002 |
| EAN | 4016779648837 |
| Catalog Description | S2C-H20L Auxiliary Contact |
| Long Description | Indication of the position of the device's contacts. To be mounted on the left side of the MCBs. Suitable for MCBs S 200 series. |

Technical

| | |
|----------------------------|---|
| Function | Auxiliary Contact |
| Suitable For | S200 S200M S200P S200S S200 MT S200 MUC S300P |
| Suitable for Product Class | Miniature Circuit Breaker |
| Power Loss | 1 W |

| | |
|--|-------------------|
| | Maximum 1 W |
| Number of Auxiliary Contacts NC | 0 |
| Number of Auxiliary Contacts NO | 2 |
| Number of Auxiliary Contacts CO (SPDT) | 0 |
| Accessory Type | Auxiliary Contact |
| Mounting Position | left |

Material Compliance

| | |
|---|--|
| RoHS Information | 9AKK108468A4564 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| RoHS Date | 20230731 |
| REACH Declaration | 9AKK108468A9644 |
| REACH Information | False - does not contains substances > 0.1 mass percentage |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |

Environmental

| | |
|---------------------------|-----------------|
| Environmental Information | 2CDK400571D0201 |
|---------------------------|-----------------|

Dimensions

| | |
|----------------------------|----------|
| Product Net Width | 8.8 mm |
| Product Net Height | 85 mm |
| Product Net Depth / Length | 69 mm |
| Product Net Weight | 0.055 kg |

Ordering

| | |
|------------------------------|-----------------|
| Package Level 1 Units | blister 1 piece |
| Package Level 1 Gross Weight | 0.058 kg |
| E-Number (Finland) | 3210848 |
| E-Number (Sweden) | 2102506 |

Certificates and Declarations

| | |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 9AKK108468A4564 |
|--------------------------------|-----------------|

Installation

| | |
|--------------------------|-----------------|
| Instructions and Manuals | GHS2007017P0026 |
|--------------------------|-----------------|

Popular Downloads

Data Sheet, Technical
Information

9AKK106930A8017

Classifications

| | |
|---------------------------------------|--|
| ETIM 8 | EC001286 - Auxiliary device for distribution board devices |
| ETIM 9 | EC001286 - Auxiliary device for distribution board devices |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Business |
| CN8 | 8536 50 80 |
| UNSPSC | 39121522 |
| eClass | V11.0 : 27143502 |
| IDEA Granular Category Code (IGCC) | 4743 >> Auxiliary contact block |

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs → Miniature Circuit Breakers
MCBs Accessories → Auxiliary / Signal Contacts

Medium Voltage Products and Systems → Service → Spares and Consumables → Parts → All Spare Parts (Relays-SWG-CB)

