AD1CO-15m 1/3



PRODUCT-DETAILS

AD1CO-15m AD1CO-15m Analog Time switch



General Information	
Extended Product Type	AD1CO-15m
Product ID	2CSM222421R1000
EAN	8012542224211
Catalog Description	AD1CO-15m Analog Time switch
Long Description	Analog time switch, daily proramming, 1 channel CO, 15 minutes switch, without reserve

Technical	
Standards	EN 60730-2-7
Function	Daily
Rated Operational Voltage	230 V
Operational Voltage	Maximum (Incl. Tolerance) 195 V AC Maximum (Incl. Tolerance)253 V AC
Supply Voltage	230 V
Rated Frequency (f)	50 60 Hz
Maximum Load Capacity	Resistive load 16 A Inductive Load 4 A
Maximum Switching Power	4000 W Incandescent Lamp or Halogen High Voltage Lamps 2500 W Fluorescent Lamp 1200 W Low Voltage Halogen Lamp 2000 W

AD1CO-15m 2/3

	Low Consumption Lamp (CFL) 2500 W LED 900 W
	0.5 W
Power Loss Power Supply	0.5 W (-15%+10%) 230 V AC
Accuracy	Operating accuracy: ± 1 second/day at 23°C
	Switching accuracy: ± 5 minutes
Number of Channels	1
Tightening Torque	0.5 N·m
Minimum Switching Time	15 minute [unit of time]
Contact Type	Change-Over (CO)
Meter Type	Electromechanical DIN-Rail
Mounting Type Battery Chemical	Nickel-Metal Hydride
Composition	Micker-wetarrryunde
Battery Weight	0.004 kg
Number of Batteries	0
Connecting Capacity	Solid 4 mm²
Terminal Type	Captive Screw
Material Compliance	
RoHS Information	2CSC441017D2701
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20211115
REACH Declaration	9AKK108467A9482
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental	
Ambient Air Temperature	Operation -10 50 °C
Degree of Protection	Storage -20 70 °C Housing IP20
Dimensions	
Width in Number of Modular Spacings	2.5
Product Net Width	44 mm
Product Net Height	66 mm
Product Net Depth /	88 mm
Length	
Product Net Weight	0.112 kg
Dimension Diagram	9AKK107992A8052
Ordering	
	hav 1 siasa
Package Level 1 Units Package Level 1 Gross	box 1 piece 0.129 kg
Weight	0.125 kg
E-Number (Sweden)	1330666
Certificates and Declarations	
Declaration of Conformity	2CSC441017D2701
- CE	203044101702701

AD1CO-15m 3/3

Installation	
Instructions and Manuals	2CSM441041D5601
Popular Downloads	
Data Sheet, Technical Information	9AKK107991A8329
Classifications	
ETIM 8	EC002304 - Analogous time switch for distribution board
ETIM 9	EC002304 - Analogous time switch for distribution board
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85364900
eClass	V11.0 : 27200109
Object Classification Code	K

Categories

 $\mbox{Low Voltage Products and Systems} \rightarrow \mbox{Modular DIN Rail Products} \rightarrow \mbox{Control and Automation Devices} \rightarrow \mbox{Analogue and Digital Time Switches}$





