**ABB**

—
PRODUCT-DETAILS

# AL16/KM20/A/BL

## PUSH+SSEMBLY- IP66/ NC16 COND BLK



## General Information

| | |
|---|---|
| Extended Product Type | AL16/KM20/A/BL |
| Product ID | 7TCA296000R0340 |
| EAN | 5020963016752 |
| Catalog Description | PUSH+SSEMBLY- IP66/ NC16 COND BLK |
| Long Description | Push-In Straight Conduit Fitting, Nominal Conduit Size 16mm, Inserts Into a 20mm Knockout, Polyamide (Nylon) 66, Black |

## Additional Information

| | |
|---|---|
| Application | For Insertion into Threaded Entries or Knockout to Connect Conduit |
| Product Type | Push-In Fitting |

## Ordering

| | |
|---|---|
| EAN | 5020963016752 |
| UPC | 786210251240 |

## Technical

| | |
|---|---|
| Number of Batteries | 0 |
| Color | Black |
| Material | Polyamide/Nylon 6.6 |
| Size | NC 16mm |

## Environmental

| | |
|---|---|
| WEEE Category | Product Not in WEEE Scope |

## Container Information

| | |
|---|---|
| Package Level 1 Units | 10 piece |
| Package Level 1 Height | 0.01 in |
| | 0.25 mm |
| Package Level 1 Depth / Length | 0.01 in |
| | 0.25 mm |
| Package Level 1 Width | 0.01 in |
| | 0.25 mm |

## Certificates and Declarations

| | |
|---|---|
| Data Sheet, Technical Information | AL16/KM20/A/BL |
| Instructions and Manuals | AL16/KM20/A/BL |
| Declaration of Conformity - CE | 9AKK107492A9618 |
| RoHS Information | 9AKK107992A8994 |
| RoHS Date | 9AKK107992A8994 |
| REACH Declaration | 9AKK107992A8994 |

## Classifications

| | |
|---|---|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121311 |

## Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems