



PRODUCT-DETAILS

AL21/PG16/C90/BL  
21-PG16 BL 90(AL21/PG16/90/BL)



| General Information   |                                                                                                                            |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | AL21/PG16/C90/BL                                                                                                           |
| Product ID            | 7TCA296000R0682                                                                                                            |
| EAN                   | 5020963012839                                                                                                              |
| Catalog Description   | 21-PG16 BL 90(AL21/PG16/90/BL)                                                                                             |
| Long Description      | 90 Degree Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 21mm, PG16 Thread, Polyamide (Nylon) 66, Black |

| Additional Information |                                                                    |
|------------------------|--------------------------------------------------------------------|
| Application            | For Insertion into Threaded Entries or Knockout to Connect Conduit |
| Product Type           | Conduit Fitting with PG Threads                                    |

| Ordering |               |
|----------|---------------|
| EAN      | 5020963012839 |
| UPC      | 786210288239  |

| Technical           |                     |
|---------------------|---------------------|
| Number of Batteries | 0                   |
| Color               | Black               |
| Material            | Polyamide/Nylon 6.6 |
| Size                | NC 21mm             |

| Environmental |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |

| Container Information          |                  |
|--------------------------------|------------------|
| Package Level 1 Units          | 10 piece         |
| Package Level 1 Height         | 1.02 in<br>26 mm |
| Package Level 1 Depth / Length | 2.1 in<br>53 mm  |
| Package Level 1 Width          | 2.4 in<br>61 mm  |

| Certificates and Declarations     |                  |
|-----------------------------------|------------------|
| Data Sheet, Technical Information | AL21/PG16/C90/BL |
| Instructions and Manuals          | AL21/PG16/C90/BL |
| Declaration of Conformity - CE    | 9AKK107492A9618  |
| RoHS Information                  | 9AKK107992A8994  |
| RoHS Date                         | 9AKK107992A8994  |
| REACH Declaration                 | 9AKK107992A8994  |

| Classifications |                                                         |
|-----------------|---------------------------------------------------------|
| ETIM 8          | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC          | 39121311                                                |

| Categories                                                                                                                                    |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems |  |

