



PRODUCT-DETAILS

AL21/PG16/SFA/BL  
SWV.FEM.PG16 IP66/NC21 COND BLK



| General Information   |                                                                                                                                                          |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | AL21/PG16/SFA/BL                                                                                                                                         |
| Product ID            | 7TCA296000R0701                                                                                                                                          |
| EAN                   | 5020963026881                                                                                                                                            |
| Catalog Description   | SWV.FEM.PG16 IP66/NC21 COND BLK                                                                                                                          |
| Long Description      | Straight Conduit Fitting, Swivel Internal Female Thread, Nominal Conduit Size 21mm, PG16 Thread, Polyamide (Nylon) 66, Nickel Plated Brass Thread, Black |

| Additional Information |                                                                    |
|------------------------|--------------------------------------------------------------------|
| Application            | For Insertion into Threaded Entries or Knockout to Connect Conduit |
| Product Type           | Conduit Fitting with PG Threads                                    |

| Ordering |               |
|----------|---------------|
| EAN      | 5020963026881 |
| UPC      | 786210288260  |

| Technical           |                     |
|---------------------|---------------------|
| Number of Batteries | 0                   |
| Color               | Black               |
| Material            | Polyamide/Nylon 6.6 |
| Size                | NC 21mm             |

| Environmental |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |

| Container Information          |                   |
|--------------------------------|-------------------|
| Package Level 1 Units          | 10 piece          |
| Package Level 1 Height         | 9.84 in<br>250 mm |
| Package Level 1 Depth / Length | 1 in<br>25 mm     |
| Package Level 1 Width          | 7.87 in<br>200 mm |

| Certificates and Declarations     |                  |
|-----------------------------------|------------------|
| Data Sheet, Technical Information | AL21/PG16/SFA/BL |
| Instructions and Manuals          | AL21/PG16/SFA/BL |
| Declaration of Conformity - CE    | 9AKK107492A9618  |
| RoHS Information                  | 9AKK107992A8994  |
| RoHS Date                         | 9AKK107992A8994  |
| REACH Declaration                 | 9AKK107992A8994  |

| Classifications |                                                         |
|-----------------|---------------------------------------------------------|
| ETIM 8          | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC          | 39121311                                                |

| Categories                                                                                                                                    |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems |  |

