



PRODUCT-DETAILS

AL28/M25/A/BL  
STRAIGHT M25 IP66/ NC28 COND BLK



General Information

|                       |                                                                                                                          |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | AL28/M25/A/BL                                                                                                            |
| Product ID            | 7TCA296000R0797                                                                                                          |
| EAN                   | 5020963000713                                                                                                            |
| Catalog Description   | STRAIGHT M25 IP66/ NC28 COND BLK                                                                                         |
| Long Description      | Straight Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 28mm, M25 Thread, Polyamide (Nylon) 66, Black |

Additional Information

|              |                                                                    |
|--------------|--------------------------------------------------------------------|
| Application  | For Insertion into Threaded Entries or Knockout to Connect Conduit |
| Product Type | Conduit Fitting with Metric Threads                                |

Ordering

|     |               |
|-----|---------------|
| EAN | 5020963000713 |
| UPC | 786210280165  |

|                     |                     |
|---------------------|---------------------|
| Technical           |                     |
| Number of Batteries | 0                   |
| Color               | Black               |
| Material            | Polyamide/Nylon 6.6 |
| Size                | NC 28mm             |

|               |                           |
|---------------|---------------------------|
| Environmental |                           |
| WEEE Category | Product Not in WEEE Scope |

|                                |                |
|--------------------------------|----------------|
| Container Information          |                |
| Package Level 1 Units          | 10 piece       |
| Package Level 1 Height         | 6 in<br>152 mm |
| Package Level 1 Depth / Length | 2 in<br>51 mm  |
| Package Level 1 Width          | 6 in<br>152 mm |

|                                   |                 |
|-----------------------------------|-----------------|
| Certificates and Declarations     |                 |
| Data Sheet, Technical Information | AL28/M25/A/BL   |
| Instructions and Manuals          | AL28/M25/A/BL   |
| Declaration of Conformity - CE    | 9AKK107492A9618 |
| RoHS Information                  | 9AKK107992A8994 |
| RoHS Date                         | 9AKK107992A8994 |
| REACH Declaration                 | 9AKK107992A8994 |

|                 |                                                         |
|-----------------|---------------------------------------------------------|
| Classifications |                                                         |
| ETIM 8          | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC          | 39121311                                                |

|                                                                                                                                               |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|
| Categories                                                                                                                                    |  |
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems |  |

