



PRODUCT-DETAILS

AL28/M25/SFA/BL  
SWV.FEM.M25 IP66/NC28 COND BLK



General Information

|                       |                                                                                                                                                         |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | AL28/M25/SFA/BL                                                                                                                                         |
| Product ID            | 7TCA296000R0828                                                                                                                                         |
| EAN                   | 5020963033971                                                                                                                                           |
| Catalog Description   | SWV.FEM.M25 IP66/NC28 COND BLK                                                                                                                          |
| Long Description      | Straight Conduit Fitting, Swivel Internal Female Thread, Nominal Conduit Size 28mm, M25 Thread, Polyamide (Nylon) 66, Nickel Plated Brass Thread, Black |

Additional Information

|              |                                                                    |
|--------------|--------------------------------------------------------------------|
| Application  | For Insertion into Threaded Entries or Knockout to Connect Conduit |
| Product Type | Conduit Fitting with Metric Threads                                |

Ordering

|     |               |
|-----|---------------|
| EAN | 5020963033971 |
| UPC | 786210280226  |

| Technical           |                     |
|---------------------|---------------------|
| Number of Batteries | 0                   |
| Color               | Black               |
| Material            | Polyamide/Nylon 6.6 |
| Size                | NC 28mm             |

| Environmental |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |

| Container Information          |                    |
|--------------------------------|--------------------|
| Package Level 1 Units          | 10 piece           |
| Package Level 1 Height         | 11.81 in<br>300 mm |
| Package Level 1 Depth / Length | 1 in<br>25 mm      |
| Package Level 1 Width          | 7.87 in<br>200 mm  |

| Certificates and Declarations     |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | AL28/M25/SFA/BL |
| Instructions and Manuals          | AL28/M25/SFA/BL |
| Declaration of Conformity - CE    | 9AKK107492A9618 |
| RoHS Information                  | 9AKK107992A8994 |
| RoHS Date                         | 9AKK107992A8994 |
| REACH Declaration                 | 9AKK107992A8994 |

| Classifications |                                                         |
|-----------------|---------------------------------------------------------|
| ETIM 8          | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC          | 39121311                                                |

| Categories                                                                                                                                    |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems |  |

