



PRODUCT-DETAILS

AL28/M32/A/BL  
M32 ADAPTALOK BLK STR



| General Information   |                                                                                                                          |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | AL28/M32/A/BL                                                                                                            |
| Product ID            | 7TCA296000R0832                                                                                                          |
| EAN                   | 5020963026898                                                                                                            |
| Catalog Description   | M32 ADAPTALOK BLK STR                                                                                                    |
| Long Description      | Straight Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 28mm, M32 Thread, Polyamide (Nylon) 66, Black |

| Additional Information |                                                                    |
|------------------------|--------------------------------------------------------------------|
| Application            | For Insertion into Threaded Entries or Knockout to Connect Conduit |
| Product Type           | Conduit Fitting with Metric Threads                                |

| Ordering |               |
|----------|---------------|
| EAN      | 5020963026898 |
| UPC      | 786210249957  |

| Technical           |                     |
|---------------------|---------------------|
| Number of Batteries | 0                   |
| Color               | Black               |
| Material            | Polyamide/Nylon 6.6 |
| Size                | NC 28mm             |

| Environmental |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |

| Container Information          |                 |
|--------------------------------|-----------------|
| Package Level 1 Units          | 10 piece        |
| Package Level 1 Height         | 2 in<br>51 mm   |
| Package Level 1 Depth / Length | 17 in<br>432 mm |
| Package Level 1 Width          | 2 in<br>51 mm   |

| Certificates and Declarations     |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | AL28/M32/A/BL   |
| Instructions and Manuals          | AL28/M32/A/BL   |
| Declaration of Conformity - CE    | 9AKK107492A9618 |
| RoHS Information                  | 9AKK107992A8994 |
| RoHS Date                         | 9AKK107992A8994 |
| REACH Declaration                 | 9AKK107992A8994 |

| Classifications |                                                         |
|-----------------|---------------------------------------------------------|
| ETIM 8          | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC          | 39121311                                                |

| Categories                                                                                                                                    |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems |  |

