




---

 PRODUCT-DETAILS

# AL34/PF100/45/BL

## FIXED 45D PF100 IP66/NC34 BLK




---

**General Information**

Extended Product Type	AL34/PF100/45/BL
Product ID	7TCA296000R0986
EAN	5020963008115
Catalog Description	FIXED 45D PF100 IP66/NC34 BLK
Long Description	45 Degree Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 34mm, 1 Inch PF Thread, Polyamide (Nylon) 66, Black

---

**Additional Information**

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Conduit Fitting with PF Threads

---

**Ordering**

EAN	5020963008115
UPC	786210262840

---

## Technical

---

Number of Batteries	0
Color	Black
Material	Polyamide/Nylon 6.6
Size	NC 34mm

---



---

## Environmental

---

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

---



---

## Container Information

---

Package Level 1 Units	10 piece
Package Level 1 Height	0.01 in 0.25 mm
Package Level 1 Depth / Length	0.01 in 0.25 mm
Package Level 1 Width	0.01 in 0.25 mm

---



---

## Certificates and Declarations

---

Data Sheet, Technical Information	AL34/PF100/45/BL
Instructions and Manuals	AL34/PF100/45/BL
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

---



---

## Classifications

---

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

---



---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

