



PRODUCT-DETAILS

AL34/PG29/C90/GR  
34-PG29 GR 90(AL34/PG29/90/GR)



| General Information   |                                                                                                                           |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | AL34/PG29/C90/GR                                                                                                          |
| Product ID            | 7TCA296000R1013                                                                                                           |
| EAN                   | 5020963005688                                                                                                             |
| Catalog Description   | 34-PG29 GR 90(AL34/PG29/90/GR)                                                                                            |
| Long Description      | 90 Degree Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 34mm, PG29 Thread, Polyamide (Nylon) 66, Grey |

| Additional Information |                                                                    |
|------------------------|--------------------------------------------------------------------|
| Application            | For Insertion into Threaded Entries or Knockout to Connect Conduit |
| Product Type           | Conduit Fitting with PG Threads                                    |

| Ordering |               |
|----------|---------------|
| EAN      | 5020963005688 |
| UPC      | 786210262895  |

| Technical           |                     |
|---------------------|---------------------|
| Number of Batteries | 0                   |
| Color               | Gray                |
| Material            | Polyamide/Nylon 6.6 |
| Size                | NC 34mm             |

| Environmental |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |

| Container Information          |                    |
|--------------------------------|--------------------|
| Package Level 1 Units          | 10 piece           |
| Package Level 1 Height         | 0.01 in<br>0.25 mm |
| Package Level 1 Depth / Length | 0.01 in<br>0.25 mm |
| Package Level 1 Width          | 0.01 in<br>0.25 mm |

| Certificates and Declarations     |                  |
|-----------------------------------|------------------|
| Data Sheet, Technical Information | AL34/PG29/C90/GR |
| Instructions and Manuals          | AL34/PG29/C90/GR |
| Declaration of Conformity - CE    | 9AKK107492A9618  |
| RoHS Information                  | 9AKK107992A8994  |
| RoHS Date                         | 9AKK107992A8994  |
| REACH Declaration                 | 9AKK107992A8994  |

| Classifications |                                                         |
|-----------------|---------------------------------------------------------|
| ETIM 8          | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC          | 39121311                                                |

| Categories                                                                                                                                    |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems |  |

