



PRODUCT-DETAILS

AL34/PG29/SF45/BL
SWV.FEM.PG29 45D IP66/ NC34 BLK



General Information	
Extended Product Type	AL34/PG29/SF45/BL
Product ID	7TCA296000R1027
EAN	5020963026959
Catalog Description	SWV.FEM.PG29 45D IP66/ NC34 BLK
Long Description	45 Degree Conduit Fitting, Swivel Internal Female Thread, Nominal Conduit Size 34mm, PG29 Thread, Polyamide (Nylon) 66, Nickel Plated Brass Thread, Black

Additional Information	
Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Conduit Fitting with PG Threads

Ordering	
EAN	5020963026959
UPC	786210263991

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide/Nylon 6.6
Size	NC 34mm

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	10 piece
Package Level 1 Height	11.81 in 300 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	7.87 in 200 mm

Certificates and Declarations	
Data Sheet, Technical Information	AL34/PG29/SF45/BL
Instructions and Manuals	AL34/PG29/SF45/BL
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	

