



PRODUCT-DETAILS

AL42/PF125/C90/BL
FIXED 90D PF125 IP66/NC42 COND BLK



General Information	
Extended Product Type	AL42/PF125/C90/BL
Product ID	7TCA296000R1113
EAN	5020963006166
Catalog Description	FIXED 90D PF125 IP66/NC42 COND BLK
Long Description	90 Degree Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 42mm, 1-1/4 Inch PF Thread, Polyamide (Nylon) 66, Black

Additional Information	
Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Conduit Fitting with PF Threads

Ordering	
EAN	5020963006166
UPC	786210264851

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide/Nylon 6.6
Size	NC 42mm

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	2 piece
Package Level 1 Height	0.01 in 0.25 mm
Package Level 1 Depth / Length	0.01 in 0.25 mm
Package Level 1 Width	0.01 in 0.25 mm

Certificates and Declarations	
Data Sheet, Technical Information	AL42/PF125/C90/BL
Instructions and Manuals	AL42/PF125/C90/BL
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	

