




---

 PRODUCT-DETAILS

# AL54/M50/SFA/BL

## SWV.FEM.M50 IP66/NC54 COND BLK




---

**General Information**

Extended Product Type	AL54/M50/SFA/BL
Product ID	7TCA296000R1232
EAN	5020963030819
Catalog Description	SWV.FEM.M50 IP66/NC54 COND BLK
Long Description	Straight Conduit Fitting, Swivel Internal Female Thread, Nominal Conduit Size 54mm, M50 Thread, Polyamide (Nylon) 66, Nickel Plated Brass Thread, Black

---

**Additional Information**

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Conduit Fitting with Metric Threads

---

**Ordering**

EAN	5020963030819
UPC	786210265148

---

## Technical

---

Number of Batteries	0
Color	Black
Material	Polyamide/Nylon 6.6
Size	NC 54mm

---



---

## Environmental

---

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

---



---

## Container Information

---

Package Level 1 Units	2 piece
Package Level 1 Height	11.81 in 300 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	7.87 in 200 mm

---



---

## Certificates and Declarations

---

Data Sheet, Technical Information	AL54/M50/SFA/BL
Instructions and Manuals	AL54/M50/SFA/BL
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

---



---

## Classifications

---

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

---



---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

