



PRODUCT-DETAILS

AL54/PF150/C90/BL
FIXED 90D PF150 IP66/NC54 COND BLK



General Information	
Extended Product Type	AL54/PF150/C90/BL
Product ID	7TCA296000R1260
EAN	5020963006180
Catalog Description	FIXED 90D PF150 IP66/NC54 COND BLK
Long Description	90 Degree Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 54mm, 1-1/2 Inch PF Thread, Polyamide (Nylon) 66, Black

Additional Information	
Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Conduit Fitting with PF Threads

Ordering	
EAN	5020963006180
UPC	786210265247

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide/Nylon 6.6
Size	NC 54mm

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Height	0.01 in 0.25 mm
Package Level 1 Depth / Length	0.01 in 0.25 mm
Package Level 1 Width	0.01 in 0.25 mm

Certificates and Declarations	
Data Sheet, Technical Information	AL54/PF150/C90/BL
Instructions and Manuals	AL54/PF150/C90/BL
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	

