



 PRODUCT-DETAILS

AL54/PG48/SA/BL

SWV.PG48 IP66/ NC54 COND BLK



General Information

Extended Product Type	AL54/PG48/SA/BL
Product ID	7TCA296000R1296
EAN	5020963027055
Catalog Description	SWV.PG48 IP66/ NC54 COND BLK
Long Description	Straight Conduit Fitting, Swivel External Male Thread, Nominal Conduit Size 54mm, PG48 Thread, Polyamide (Nylon) 66, Nickel Plated Brass Thread, Black

Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Conduit Fitting with PG Threads

Ordering

EAN	5020963027055
UPC	786210256900

Technical

Number of Batteries	0
Color	Black
Material	Polyamide/Nylon 6.6
Size	NC 54mm

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	2 piece
Package Level 1 Height	11.81 in 300 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	7.87 in 200 mm

Certificates and Declarations

Data Sheet, Technical Information	AL54/PG48/SA/BL
Instructions and Manuals	AL54/PG48/SA/BL
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

