ALND-M406 1/3



PRODUCT-DETAILS

ALND-M406 CONDUIT FTNG STR M40 NW36 IP66 BLK



| General Information | |
|-----------------------|--|
| Extended Product Type | ALND-M406 |
| Product ID | 7TAA292000R0033 |
| EAN | 7630030203251 |
| Catalog Description | CONDUIT FTNG STR M40 NW36 IP66 BLK |
| Long Description | Smart Line Straight Black Connector with Integral Cone Seal, Material Polyamide 6, Conduit Size NW36, Thread Size - M40x1.5 |
| | Sies Wood, Milada Sies Milamie |

Additional Information Application Machine Building, Installation and Construction Industries

| Product Type | Connectors-Straight |
|--------------|---------------------|

| Ordering | |
|----------|---------------|
| EAN | 7630030203251 |
| UPC | 786209943163 |

ALND-M406 2/3

| Technical | |
|-----------------------------------|---|
| Number of Batteries | 0 |
| Color | Black |
| Material | Polyamide 6 |
| Size | NW36 ; M40x1.5 Threac |
| Environmental | |
| WEEE Category | Product Not in WEEE Scope |
| | |
| Container Information | |
| Package Level 1 Units | 20 EA |
| Package Level 1 Height | 0 mm 0 in |
| Package Level 1 Depth / Length | 0 mm 0 in |
| Package Level 1 Width | 0 mm 0 in |
| Certificates and Declarations | |
| Data Sheet, Technical Information | ALND-M406 |
| Instructions and Manuals | ALND-M406 |
| Declaration of Conformity - CE | 9AKK107680A0674 |
| | |
| Classifications | |
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121420 |

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Installation\ Products\ \to\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \to\ Flexible\ Cable\ Protection\ Systems$

ALND-M406 3/3





