



PRODUCT-DETAILS

ALND-M508
CONDUIT FTNG STR M50 NW48 IP66 BLK



General Information

| | |
|-----------------------|---|
| Extended Product Type | ALND-M508 |
| Product ID | 7TAA292000R0036 |
| EAN | 7630030203213 |
| Catalog Description | CONDUIT FTNG STR M50 NW48 IP66 BLK |
| Long Description | Smart Line Straight Black Connector with Integral Cone Seal, Material Polyamide 6, Conduit Size NW48, Thread Size - M50x1.5 |

Additional Information

| | |
|--------------|--|
| Application | Machine Building, Installation and Construction Industries |
| Product Type | Connectors-Straight |

Ordering

| | |
|-----|---------------|
| EAN | 7630030203213 |
| UPC | 786209943194 |

| | |
|---------------------|-----------------------|
| Technical | |
| Number of Batteries | 0 |
| Color | Black |
| Material | Polyamide 6 |
| Size | NW48 : M50x1.5 Thread |

| | |
|---------------|---------------------------|
| Environmental | |
| WEEE Category | Product Not in WEEE Scope |

| | |
|--------------------------------|--------------|
| Container Information | |
| Package Level 1 Units | 10 EA |
| Package Level 1 Height | 0 mm 0 in |
| Package Level 1 Depth / Length | 0 mm 0 in |
| Package Level 1 Width | 0 mm 0 in |

| | |
|-----------------------------------|-----------------|
| Certificates and Declarations | |
| Data Sheet, Technical Information | ALND-M508 |
| Instructions and Manuals | ALND-M508 |
| Declaration of Conformity - CE | 9AKK107680A0674 |

| | |
|-----------------|---|
| Classifications | |
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121420 |

| | |
|---|--|
| Categories | |
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems | |

