ALND-M638 1/3



PRODUCT-DETAILS

ALND-M638 CONDUIT FTNG STR M63 NW48 IP66 BLK



| Extended Product Type | ALND-M638 |
|------------------------|--|
| Product ID | 7TAA292000R0037 |
| EAN | 7630030203206 |
| Catalog Description | CONDUIT FTNG STR M63 NW48 IP66 BLK |
| Long Description | Smart Line Straight Black Connector with Integral Cone Seal, Material Polyamide 6, Thread Size - M63x1.5 |
| | |
| Additional Information | |
| Application | Machine Building, Installation and Construction Industries |
| Product Type | Connectors-Straight |
| | |
| | |
| Ordering | |

UPC

786209943200

ALND-M638 2/3

| Technical | |
|---|--|
| Number of Batteries | O |
| Color | Black |
| Material | Polyamide 6 |
| Size | NW48 ; M63x1.5 Thread |
| Environmental | |
| WEEE Category | Product Not in WEEE Scope |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Package Level 1 Units Package Level 1 Height | - :::::: |
| Package Level 1 Height Package Level 1 Depth / | 0 mm 0 in 0 mm |
| Length | 0 in |
| Package Level 1 Width | 0 mm 0 in |
| O. I''s about 1D about | |
| Certificates and Declarations | |
| Data Sheet, Technical Information | ALND-M638 |
| Instructions and Manuals | ALND-M638 |

Classifications

Declaration of Conformity - CE

| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
|--------|---|
| UNSPSC | 39121420 |

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$

9AKK107680A0674

ALND-M638 3/3





