



PRODUCT-DETAILS

ALS21/F  
FINE PITCH SEAL FOR AL21



| General Information   |                                                                                                    |
|-----------------------|----------------------------------------------------------------------------------------------------|
| Extended Product Type | ALS21/F                                                                                            |
| Product ID            | 7TCA296000R1332                                                                                    |
| EAN                   | 5020963025921                                                                                      |
| Catalog Description   | FINE PITCH SEAL FOR AL21                                                                           |
| Long Description      | Insert Seal, Size 21 Conduit, Fine Pitch, IP67, IP68, IP69 Rating, Thermoplastic Elastomer, Yellow |

| Additional Information |                               |
|------------------------|-------------------------------|
| Application            | To Help Seal Conduit Fittings |
| Product Type           | Insert Seal                   |

| Ordering |               |
|----------|---------------|
| EAN      | 5020963025921 |
| UPC      | 786210256726  |

|                     |                         |
|---------------------|-------------------------|
| <b>Technical</b>    |                         |
| Number of Batteries | 0                       |
| Color               | Yellow                  |
| Material            | Thermoplastic Elastomer |

|                      |                           |
|----------------------|---------------------------|
| <b>Environmental</b> |                           |
| WEEE Category        | Product Not in WEEE Scope |

|                                |                   |
|--------------------------------|-------------------|
| <b>Container Information</b>   |                   |
| Package Level 1 Units          | 10 piece          |
| Package Level 1 Height         | 7.87 in<br>200 mm |
| Package Level 1 Depth / Length | 1 in<br>25 mm     |
| Package Level 1 Width          | 5.9 in<br>150 mm  |

|                                      |                 |
|--------------------------------------|-----------------|
| <b>Certificates and Declarations</b> |                 |
| Data Sheet, Technical Information    | ALS21/F         |
| Instructions and Manuals             | ALS21/F         |
| Declaration of Conformity - CE       | 9AKK107492A9618 |
| RoHS Information                     | 9AKK107992A8994 |
| RoHS Date                            | 9AKK107992A8994 |
| REACH Declaration                    | 9AKK107992A8994 |

|                        |                         |
|------------------------|-------------------------|
| <b>Classifications</b> |                         |
| ETIM 8                 | EC001181 - Sealing ring |
| UNSPSC                 | 31161818                |

|                                                                                                                                               |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>Categories</b>                                                                                                                             |  |
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems |  |

