



PRODUCT-DETAILS

ASC42/M40/C90/BL  
ELB.90D M40 IP66.69/NC42 COND BLK



| General Information   |                                                                                                                                      |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | ASC42/M40/C90/BL                                                                                                                     |
| Product ID            | 7TCA296000R1548                                                                                                                      |
| EAN                   | 5020963026782                                                                                                                        |
| Catalog Description   | ELB.90D M40 IP66.69/NC42 COND BLK                                                                                                    |
| Long Description      | Adaptaseal 90 Degree Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 42mm, M40 Thread, Polyamide (Nylon) 66, Black |

| Additional Information |                                                                    |
|------------------------|--------------------------------------------------------------------|
| Application            | For Insertion into Threaded Entries or Knockout to Connect Conduit |
| Product Type           | Conduit Fitting with Metric Threads                                |

| Ordering |               |
|----------|---------------|
| EAN      | 5020963026782 |
| UPC      | 786210281490  |

| Technical           |                     |
|---------------------|---------------------|
| Number of Batteries | 0                   |
| Color               | Black               |
| Material            | Polyamide/Nylon 6.6 |
| Size                | NC 42mm             |

| Environmental |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |

| Container Information |         |
|-----------------------|---------|
| Package Level 1 Units | 2 piece |

| Certificates and Declarations     |                  |
|-----------------------------------|------------------|
| Data Sheet, Technical Information | ASC42/M40/C90/BL |
| Instructions and Manuals          | ASC42/M40/C90/BL |
| Declaration of Conformity - CE    | 9AKK107492A9618  |
| RoHS Information                  | 9AKK107992A8994  |
| RoHS Date                         | 9AKK107992A8994  |
| REACH Declaration                 | 9AKK107992A8994  |

| Classifications |                                                         |
|-----------------|---------------------------------------------------------|
| ETIM 8          | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC          | 39121311                                                |

| Categories                                                                                                                                    |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems |  |

