**ABB**

---
PRODUCT-DETAILS

# ASF10/PG9/A/BL

## PG9 PA66 LQT FTNG BLK STR



## General Information

| | |
|---|---|
| Extended Product Type | ASF10/PG9/A/BL |
| Product ID | 7TCA296000R1578 |
| EAN | 5020963015250 |
| Catalog Description | PG9 PA66 LQT FTNG BLK STR |
| Long Description | Adaptaseal Straight Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 10mm, PG9 Thread, Polyamide (Nylon) 66, Black |

## Additional Information

| | |
|---|---|
| Application | For Insertion into Threaded Entries or Knockout to Connect Conduit |
| Product Type | Conduit Fitting with PG Threads |

## Ordering

| | |
|---|---|
| EAN | 5020963015250 |
| UPC | 786210253657 |

## Technical

| | |
|---|---|
| Number of Batteries | 0 |
| Color | Black |
| Material | Polyamide/Nylon 6.6 |
| Size | NC 10mm |

## Environmental

| | |
|---|---|
| WEEE Category | Product Not in WEEE Scope |

## Container Information

| | |
|---|---|
| Package Level 1 Units | 10 piece |

## Certificates and Declarations

| | |
|---|---|
| Data Sheet, Technical Information | ASF10/PG9/A/BL |
| Instructions and Manuals | ASF10/PG9/A/BL |
| Declaration of Conformity - CE | 9AKK107492A9618 |
| RoHS Information | 9AKK107992A8994 |
| RoHS Date | 9AKK107992A8994 |
| REACH Declaration | 9AKK107992A8994 |

## Classifications

| | |
|---|---|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121311 |

## Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems