



PRODUCT-DETAILS

AT21/M20/CSF90/BLY  
SWV.FEM.M20 90D IP66.69/NC21 BK/YW



| General Information   |                                                                                                                                                                                                   |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | AT21/M20/CSF90/BLY                                                                                                                                                                                |
| Product ID            | 7TCA296170R0268                                                                                                                                                                                   |
| EAN                   | 5020963039515                                                                                                                                                                                     |
| Catalog Description   | SWV.FEM.M20 90D IP66.69/NC21 BK/YW                                                                                                                                                                |
| Long Description      | Adaptalok ATS, 90 Degree Conduit Fitting, Swivel Internal Female Thread, Nominal Conduit Size 21mm, M20 Thread, Polyamide (Nylon) 66, Nickel Plated Brass Thread/TPE, Black with Yellow Elastomer |

| Additional Information |                                                                    |
|------------------------|--------------------------------------------------------------------|
| Application            | For Insertion into Threaded Entries or Knockout to Connect Conduit |
| Product Type           | Conduit Fitting with Metric Threads                                |

| Ordering |               |
|----------|---------------|
| EAN      | 5020963039515 |
| UPC      | 786210282220  |

| Technical           |                        |
|---------------------|------------------------|
| Number of Batteries | 0                      |
| Color               | Black/Yellow Elastomer |
| Material            | Polyamide/Nylon 6.6    |
| Size                | NC 21mm                |

| Environmental |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |

| Container Information          |                   |
|--------------------------------|-------------------|
| Package Level 1 Units          | 10 piece          |
| Package Level 1 Height         | 9.84 in<br>250 mm |
| Package Level 1 Depth / Length | 1 in<br>25 mm     |
| Package Level 1 Width          | 7.87 in<br>200 mm |

| Certificates and Declarations     |                    |
|-----------------------------------|--------------------|
| Data Sheet, Technical Information | AT21/M20/CSF90/BLY |
| Instructions and Manuals          | AT21/M20/CSF90/BLY |
| Declaration of Conformity - CE    | 9AKK107492A9618    |
| RoHS Information                  | 9AKK107992A8994    |
| RoHS Date                         | 9AKK107992A8994    |
| REACH Declaration                 | 9AKK107992A8994    |

| Classifications |                                                         |
|-----------------|---------------------------------------------------------|
| ETIM 8          | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC          | 39121311                                                |

| Categories |  |
|------------|--|
|------------|--|

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

