



PRODUCT-DETAILS

AT21/M20/SF45/BLY**SWV.FEM.M20 45D IP66.69/NC21 BK/YW****General Information**

Extended Product Type	AT21/M20/SF45/BLY
Product ID	7TCA296170R0281
EAN	5020963042942
Catalog Description	SWV.FEM.M20 45D IP66.69/NC21 BK/YW
Long Description	Adaptalok ATS, 45 Degree Conduit Fitting, Swivel Internal Female Thread, Nominal Conduit Size 21mm, M20 Thread, Polyamide (Nylon) 66, Nickel Plated Brass Thread/TPE, Black with Yellow Elastomer

Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Conduit Fitting with Metric Threads

Ordering

EAN	5020963042942
UPC	786210282329

Technical

Number of Batteries	0
Color	Black/Yellow Elastomer
Material	Polyamide/Nylon 6.6
Size	NC 21mm

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Height	9.84 in 250 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	7.87 in 200 mm

Certificates and Declarations

Data Sheet, Technical Information	AT21/M20/SF45/BLY
Instructions and Manuals	AT21/M20/SF45/BLY
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

