



PRODUCT-DETAILS

AT28/M25/CSF90/BLY
SWV.FEM.M25 90D IP66.69/NC28 BK/YW



General Information	
Extended Product Type	AT28/M25/CSF90/BLY
Product ID	7TCA296170R0418
EAN	5020963038440
Catalog Description	SWV.FEM.M25 90D IP66.69/NC28 BK/YW
Long Description	Adaptalok ATS, 90 Degree Conduit Fitting, Swivel Internal Female Thread, Nominal Conduit Size 28mm, M25 Thread, Polyamide (Nylon) 66, Nickel Plated Brass Thread/TPE, Black with Yellow Elastomer

Additional Information	
Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Conduit Fitting with Metric Threads

Ordering	
EAN	5020963038440
UPC	786210282701

Technical	
Number of Batteries	0
Color	Black/Yellow Elastomer
Material	Polyamide/Nylon 6.6
Size	NC 28mm

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	10 piece
Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	7.08 in 180 mm

Certificates and Declarations	
Data Sheet, Technical Information	AT28/M25/CSF90/BLY
Instructions and Manuals	AT28/M25/CSF90/BLY
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories	
------------	--

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

