



PRODUCT-DETAILS

AT28/M25/SF45/BLY
SWV.FEM.M25 45D IP66.69/NC28 BK/YW



General Information	
Extended Product Type	AT28/M25/SF45/BLY
Product ID	7TCA296170R0430
EAN	5020963039546
Catalog Description	SWV.FEM.M25 45D IP66.69/NC28 BK/YW
Long Description	Adaptalok ATS, 45 Degree Conduit Fitting, Swivel Internal Female Thread, Nominal Conduit Size 28mm, M25 Thread, Polyamide (Nylon) 66, Nickel Plated Brass Thread/TPE, Black with Yellow Elastomer
Additional Information	
Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Conduit Fitting with Metric Threads
Ordering	
EAN	5020963039546
UPC	786210282817

Technical		
Number of Batteries		0
Color	Black/Yellow Elastomer	
Material	Polyamide/Nylon 6.6	
Size		NC 28mm

Environmental		
WEEE Category	Product Not in WEEE Scope	

Container Information		
Package Level 1 Units		10 piece
Package Level 1 Height		9.84 in 250 mm
Package Level 1 Depth / Length		1 in 25 mm
Package Level 1 Width		7.87 in 200 mm

Certificates and Declarations		
Data Sheet, Technical Information	AT28/M25/SF45/BLY	
Instructions and Manuals	AT28/M25/SF45/BLY	
Declaration of Conformity - CE	9AKK107492A9618	
RoHS Information	9AKK107992A8994	
RoHS Date	9AKK107992A8994	
REACH Declaration	9AKK107992A8994	

Classifications		
ETIM 8	EC001176 - Screw connection for corrugated plastic hose	
UNSPSC		39121311

Categories		
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems		

