



PRODUCT-DETAILS

AT34/M32/CSF90/BLY
SWV.FEM.M32 90D IP66.69/NC34 BK/YW



General Information	
Extended Product Type	AT34/M32/CSF90/BLY
Product ID	7TCA296170R0532
EAN	5020963039522
Catalog Description	SWV.FEM.M32 90D IP66.69/NC34 BK/YW
Long Description	Adaptalok ATS, 90 Degree Conduit Fitting, Swivel Internal Female Thread, Nominal Conduit Size 34mm, M32 Thread, Polyamide (Nylon) 66, Nickel Plated Brass Thread/TPE, Black with Yellow Elastomer
Additional Information	
Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Conduit Fitting with Metric Threads
Ordering	
EAN	5020963039522
UPC	786210283203

Technical		
Number of Batteries		0
Color	Black/Yellow Elastomer	
Material	Polyamide/Nylon 6.6	
Size	NC 34mm	

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	10 piece
Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	7.08 in 180 mm

Certificates and Declarations	
Data Sheet, Technical Information	AT34/M32/CSF90/BLY
Instructions and Manuals	AT34/M32/CSF90/BLY
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	

