AT42/M40/A/BLY 1/3



PRODUCT-DETAILS

AT42/M40/A/BLY STRAIGHT M40 IP66.69/NC42 BLK/YW



General Information Extended Product Type	AT42/M40/A/BL\
Product ID	7TCA296170R0618
EAN	5020963037573
Catalog Description	STRAIGHT M40 IP66.69/NC42 BLK/YW
Long Description	Adaptalok ATS, Straight Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 42mm, M40 Thread, Polyamide (Nylon) 66/TPE, Black with Yellow Elastome
Additional Information	
Additional Information Application	For Insertion into Threaded Entries or Knockout to Connect Condui
Additional Information Application Product Type	For Insertion into Threaded Entries or Knockout to Connect Condui Conduit Fitting with Metric Threads
Application Product Type	
Application	
Application Product Type	

AT42/M40/A/BLY 2/3

Technical	
Number of Batteries	
Color	Black/Yellow Elastome
Material	Polyamide/Nylon 6.
Size	NC 42mr
Environmental	
WEEE Category	Product Not in WEEE Scope
Container Information	
Package Level 1 Units	2 piece
Package Level 1 Height	7.87 ii 200 mr
Package Level 1 Depth / Length	1 ii 25 mr
Package Level 1 Width	5.9 ir 150 mn
Certificates and Declarations	
Data Sheet, Technical Information	AT42/M40/A/BL
Instructions and Manuals	AT42/M40/A/BL\
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A899
REACH Declaration	9AKK107992A8994
Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose

Categories

UNSPSC

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \rightarrow\ Flexible\ Cable\ Protection\ Systems$

AT42/M40/A/BLY 3/3

