



PRODUCT-DETAILS

# AT42/M40/S45/BLY

## SWV.M40 45D IP66.69/ NC42 BLK/YW



General Information	
Extended Product Type	AT42/M40/S45/BLY
Product ID	7TCA296170R0638
EAN	5020963038310
Catalog Description	SWV.M40 45D IP66.69/ NC42 BLK/YW
Long Description	Adaptalok ATS, 45 Degree Conduit Fitting, Swivel External Male Thread, Nominal Conduit Size 42mm, M40 Thread, Polyamide (Nylon) 66, Nickel Plated Brass Thread/TPE, Black with Yellow Elastomer

Additional Information	
Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Conduit Fitting with Metric Threads

Ordering	
EAN	5020963038310
UPC	786210283586

---

## Technical

---

Number of Batteries	0
Color	Black/Yellow Elastomer
Material	Polyamide/Nylon 6.6
Size	NC 42mm

---



---

## Environmental

---

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

---



---

## Container Information

---

Package Level 1 Units	2 piece
Package Level 1 Height	9.84 in 250 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	7.87 in 200 mm

---



---

## Certificates and Declarations

---

Data Sheet, Technical Information	AT42/M40/S45/BLY
Instructions and Manuals	AT42/M40/S45/BLY
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

---



---

## Classifications

---

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

---



---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

