




---

 PRODUCT-DETAILS

# AT54/M63/C90/BLY

## ELBW.90D M63 IP66.69/NC54 BLK/YW




---

**General Information**

Extended Product Type	AT54/M63/C90/BLY
Product ID	7TCA296170R0779
EAN	5020963039294
Catalog Description	ELBW.90D M63 IP66.69/NC54 BLK/YW
Long Description	Adaptalok ATS, 90 Degree Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 54mm, M63 Thread, Polyamide (Nylon) 66/TPE, Black with Yellow Elastomer

---

**Additional Information**

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Conduit Fitting with Metric Threads

---

**Ordering**

EAN	5020963039294
UPC	786210258058

---

## Technical

Number of Batteries	0
Color	Black/Yellow Elastomer
Material	Polyamide/Nylon 6.6
Size	NC 54mm

---



---

## Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

---



---

## Container Information

Package Level 1 Units	1 piece
Package Level 1 Height	11.81 in 300 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	7.87 in 200 mm

---



---

## Certificates and Declarations

Data Sheet, Technical Information	AT54/M63/C90/BLY
Instructions and Manuals	AT54/M63/C90/BLY
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

---



---

## Classifications

ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

---



---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

