

PRODUCT-DETAILS

DDA802 A-100/0.5 DDA802 A-100/0.5 Residual Current Device Block



General Information	
Extended Product Type	DDA802 A-100/0.5
Product ID	2CSB802101R4000
EAN	8012542542636
Catalog Description	DDA802 A-100/0.5 Residual Current Device Block
Long Description	The RCD Block DDA800 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous and selective AC and A types is completed with some configurations for special applications. This product is suitable for assembly with MCBs S800 series up to 100A.

Technical	
Standards	IEC EN 60947-2 Ann. B
Type of Residual Current	Type A
Suitable For	\$800\$ \$800N \$800C \$800B
Rated Voltage (U _r)	230 V AC 240 V AC 400 V AC
Rated Operational Voltage	400/690 V

DDA802 A-100/0.5 2/3

Rated Insulation Voltage (U _i)	690 V
Rated Impulse Withstand Voltage (U _{imp})	6 kV
Rated Current (I _n)	100 A
Rated Residual Current	500 mA
Maximum Surge Current	0.25 kA
Leakage Current Type	A
Rated Frequency (f)	50 60 Hz
Power Loss	7 W
Number of Poles	2
Operating Characteristic	Instantaneous
Connecting Capacity	Rigid 6 50 mm Flexible 6 70 mm
Material Compliance	
Material Compliance	
RoHS Information	9AKK106713A5616
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20110608
REACH Declaration	9AKK108467A9482
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
 Environmental	
Ambient Temperature	-2560 °C
Ambient Temperature Ambient Air Temperature	-2560 °C Operation -2560 °C
Degree of Protection	Operation -2500 C
Environmental Information	refer to RoHS information
Technical UL/CSA	
Short-Circuit Current Rating (SCCR)	0.5 0.5 A
Dimensions	
Width in Number of Modular Spacings	4.5
Product Net Width	81 mm
Product Net Height	108.2 mm
Product Net Depth /	82.3 mm
Length	02.0 1111
Product Net Weight	0.300 kg
Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.4 kç
Certificates and Declarations	
D. J. J. CO. C. J.	0.1///.00740.4504

DDA802 A-100/0.5 3/3

<u>- CE</u>

Installation	
Instructions and Manuals	2CSB427001D0003

Popular Downloads	
Data Sheet, Technical	2CSC400002D0209
Information	

Classifications	
ETIM 8	EC002297 - Residual current circuit breaker (RCCB) module
ETIM 9	EC002297 - Residual current circuit breaker (RCCB) module
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85363030
eClass	V11.0 : 27142210
Object Classification Code	<u>F</u>

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Modular\ DIN\ Rail\ Products \rightarrow High\ Performance\ Circuit\ Breakers\ HPCBs\ \rightarrow High\ Performance\ Circuit\ Breakers\ HPCBs\ Accessories$

