




PRODUCT-DETAILS

BEP140-30

BEP140-30 Connection Set



General Information	
Extended Product Type	BEP140-30
Product ID	1SFN084214R1000
EAN	7320500480335
Catalog Description	BEP140-30 Connection Set
Long Description	Phase to Phase connectors (change over), 3-pole, AF116-AF146

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Popular Downloads	
Data Sheet, Technical Information	1SBC100214C0202
Instructions and Manuals	1SFC100009M0201
CAD Dimensional	2CDC001079B0201

Drawing

Dimensions

Product Net Width	178 mm
Product Net Depth / Length	49 mm
Product Net Height	40.9 mm
Product Net Weight	0.32 kg

Technical

Terminal Type	Screw Terminals
Suitable For	AF116 AF140 AF146

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

cUL Certificate	20120925-E36588
Declaration of Conformity - CE	2CMT004895
Declaration of Conformity - UKCA	2CMT2020-006120

Container Information

Package Level 1 Units	bag 1 piece
Package Level 1 Width	178 mm
Package Level 1 Depth / Length	40.9 mm
Package Level 1 Height	49 mm
Package Level 1 Gross Weight	0.335 kg
Package Level 1 EAN	7320500480335

Classifications

Object Classification Code	W
ETIM 4	EC002498 - Accessories for low-voltage switch technology
ETIM 5	EC002498 - Accessories for low-voltage switch technology

ETIM 6	EC002498 - Accessories for low-voltage switch technology
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
eClass	V11.0 : 27371392
UNSPSC	39122221
IDEA Granular Category Code (IGCC)	5219 >> Switch part or accessory
E-Number (Finland)	3706542
E-Number (Norway)	4188101
E-Number (Sweden)	3210211

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors

