



PRODUCT-DETAILS

## BETR050505 EX T PIECE FITTING NC25X25X25 BLK



BETR050505
7TCA297120R0384
5011949240308
EX T PIECE FITTING NC25X25X25 BLK
Splice Connector for Conduit, T-Shape with Internal Female Thread, 3 Ends with Conduit Size 25mm/NW23, IP68 Rating, Approved for Zones 1, 2, 21, 22, Modified Nylon 12 with Nickel Plated Threads, Black
For Indoor and Outdoor Applications for Zones 1, 2, 21, 22
T-Shaped Splice Connector
5011949240308

Dimensions	
Product Net Depth / Length	106.5 mm

Technical	
Number of Batteries	0
Color	Black
Material	Modified Nylon/Polyamide 12 with Nickel Plated Threads
Size	3 Ends with Conduit Size 25mm/NW23

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information		
Package Level 1 Units	40 EA	
Package Level 1 Height	302.26 mm 11.9 in	
Package Level 1 Depth / Length	210.82 mm 8.3 in	
Package Level 1 Width	401.32 mm 15.8 in	

Certificates and Declarations	
Data Sheet, Technical Information	9AKK106930A7736
Instructions and Manuals	BETR050505
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001172 - Coupler for corrugated plastic hoses
UNSPSC	39131717

## Categories

Low Voltage Products and Systems  $\rightarrow$  Installation Products  $\rightarrow$  Cable Protection, Explosion Proof and Lighting  $\rightarrow$  Flexible Cable Protection Systems

