




PRODUCT-DETAILS

BEY370-4

BEY370-4 Connection Set



General Information	
Extended Product Type	BEY370-4
Product ID	1SFN085813R1000
EAN	7320500480779
Catalog Description	BEY370-4 Connection Set
Long Description	Connections for Star-Delta starters L+D=AF305, Y=AF265 and L+D=AF370, Y=AF305

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Popular Downloads	
Data Sheet, Technical Information	1SBC100122C0202
Instructions and Manuals	N/A
CAD Dimensional Drawing	2CDC001079B0201

Dimensions	
Product Net Width	350 mm
Product Net Depth / Length	36 mm
Product Net Height	43 mm
Product Net Weight	2.11 kg

Technical	
Terminal Type	Screw Terminals
Suitable For	AF265 AF305 AF370 AX260 AX370

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations	
cUL Certificate	20120925-E36588
Declaration of Conformity - CE	2CMT004895
Declaration of Conformity - UKCA	2CMT2020-006120

Container Information	
Package Level 1 Units	bag 1 piece
Package Level 1 Width	278 mm
Package Level 1 Depth / Length	63.5 mm
Package Level 1 Height	157 mm
Package Level 1 Gross Weight	2.13 kg
Package Level 1 EAN	7320500480779

Classifications	
Object Classification Code	W
ETIM 4	EC002498 - Accessories for low-voltage switch technology
ETIM 5	EC002498 - Accessories for low-voltage switch technology
ETIM 6	EC002498 - Accessories for low-voltage switch technology
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
eClass	V11.0 : 27371392
UNSPSC	39122221
IDEA Granular Category	5219 >> Switch part or accessory

Code (IGCC)	
E-Number (Finland)	3706566
E-Number (Norway)	4188110
E-Number (Sweden)	3210225

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors

