BR12 1/3



PRODUCT-DETAILS

BR12

BR12 Buzzer



General Information		
Extended Product Type	BR12	
Product ID	2CSM232365R0821	
EAN	8012542323655	
Catalog Description	BR12 Buzzer	
Long Description	The range of bell and buzzer includes modular versions as 12V or 230V types for acoustic signaling in residential and commercial sectors as well as industry application such as alarms notification, supervision and intensive use (schools, factories etc). To complete the offering TSM and TSR versions also include a transformer: the input is 230V a.c. and the bell is supplied in 12 or 24 V.	

Technical	
Standards	EN 62080
Rated Voltage (U _r)	12 V AC
Rated Frequency (f)	50/60 Hz
	4 V-A
Sound / Tone Type	Intermittent
Sound dB (A)	Bell (0.6 m) 80 dB
	Buzzer (0.6 m) 70 dB

BR12 2/3

Mounting Position	Flexible
Remarks	Discontinous operations: the device need rest time between two consecutive functionings
Cable Cross-Section	Maximum 4 mm ²
Material Compliance	
RoHS Information	9AKK107492A4194
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20190722
REACH Declaration	9AKK108467A9482
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental	
Degree of Protection	IP20
Dimensions	
Width in Number of	1
Modular Spacings	
Product Net Width	18 mm
Product Net Height	87.5 mm
Product Net Depth / Length	60 mm
Product Net Weight	55 g
Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	75 g
Weight	
Certificates and Declarations	
Declaration of Conformity - CE	9AKK107492A4194
Comoning CE	
Installation	
Instructions and Manuals	9AKK107991A8331
Popular Downloads	
Data Sheet, Technical Information	9AKK107991A8331

BR12 3/3

EC000844 - Buzzer
EC000844 - Buzzer
5. Small Equipment (No External Dimension More Than 50 cm)
Business To Business
85311030
V11.0 : 27143224
Н

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Modular\ DIN\ Rail\ Products \rightarrow Command\ and\ Signalling\ Devices \rightarrow Bells\ and\ Buzzers$





