



PRODUCT-DETAILS

**BVAD-M162GT**  
**COND FTNG 45D M16 NW12 IP66 CSA BLK**



| General Information   |                                                                                                                                                              |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | BVAD-M162GT                                                                                                                                                  |
| Product ID            | 7TAA292150R0034                                                                                                                                              |
| EAN                   | 7630030218354                                                                                                                                                |
| Catalog Description   | COND FTNG 45D M16 NW12 IP66 CSA BLK                                                                                                                          |
| Long Description      | PMAFIX 45 Degree One-Piece Black Elbow with Universal Safety Clip, Material - Polyamide 6, Thread Type - Metric, Thread Size - M16x1.5, Conduit Size NW - 12 |

| Additional Information |                                                              |
|------------------------|--------------------------------------------------------------|
| Application            | For Cable Protection Systems In a Wide Range of Applications |
| Product Type           | Flexible Conduits & Fittings                                 |

| Ordering |               |
|----------|---------------|
| EAN      | 7630030218354 |
| UPC      | 786209948274  |

|                     |                   |
|---------------------|-------------------|
| <b>Technical</b>    |                   |
| Number of Batteries | 0                 |
| Color               | Black             |
| Material            | Polyamide/Nylon 6 |
| Size                | M16               |

|                      |                           |
|----------------------|---------------------------|
| <b>Environmental</b> |                           |
| WEEE Category        | Product Not in WEEE Scope |

|                                |              |
|--------------------------------|--------------|
| <b>Container Information</b>   |              |
| Package Level 1 Units          | 50 EA        |
| Package Level 1 Height         | 0 mm<br>0 in |
| Package Level 1 Depth / Length | 0 mm<br>0 in |
| Package Level 1 Width          | 0 mm<br>0 in |

|                                      |                 |
|--------------------------------------|-----------------|
| <b>Certificates and Declarations</b> |                 |
| Data Sheet, Technical Information    | BVAD-M162GT     |
| Instructions and Manuals             | BVAD-M162GT     |
| Declaration of Conformity - CE       | 9AKK107680A0674 |

|                        |                                                         |
|------------------------|---------------------------------------------------------|
| <b>Classifications</b> |                                                         |
| ETIM 8                 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC                 | 39131717                                                |

|                                                                                                                                               |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>Categories</b>                                                                                                                             |  |
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems |  |

