



PRODUCT-DETAILS

BVAV-P112
COND FTNG 45D PG11 NW12 IP68 BLK



| General Information | |
|-----------------------|---|
| Extended Product Type | BVAV-P112 |
| Product ID | 7TAA292150R0083 |
| EAN | 7630030217722 |
| Catalog Description | COND FTNG 45D PG11 NW12 IP68 BLK |
| Long Description | VA Connector 45 Degree Elbow, PG Thread, for IP68 Conduit - Thread PG 11, Fits to Conduit Size NW/Metric 12/16, Color Black |

| Additional Information | |
|------------------------|--|
| Application | For Cable Protection Systems In a Wide Range of Applications |
| Product Type | Fittings for Nylon Flexible Conduits |

| Ordering | |
|----------|---------------|
| EAN | 7630030217722 |
| UPC | 786209948762 |

| Technical | |
|---------------------|---|
| Number of Batteries | 0 |
| Color | Black |
| Material | High-Grade Specially Formulated Polyamide/Nylon 6 |
| Size | PG11 |

| Environmental | |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |

| Container Information | |
|--------------------------------|--------------|
| Package Level 1 Units | 50 EA |
| Package Level 1 Height | 0 mm 0 in |
| Package Level 1 Depth / Length | 0 mm 0 in |
| Package Level 1 Width | 0 mm 0 in |

| Certificates and Declarations | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | BVAV-P112 |
| Instructions and Manuals | BVAV-P112 |
| Declaration of Conformity - CE | 9AKK107680A0674 |

| Classifications | |
|-----------------|---|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39131717 |

| Categories | |
|---|--|
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems | |

