BVEMV-M406-13 1/3



PRODUCT-DETAILS

BVEMV-M406-13 EMC FTNG PA6/AL M40 NW36 13MM BLK



Product ID 7TAA292 EAN 76300 Catalog Description EMC FTNG PA6/AL M40 NW36 Long Description VEMV Connector, Metric Thread IP68 - Thread M40x1.5, Fits to NW/F.CK/F.CU	eneral Information	
EAN Catalog Description EMC FTNG PA6/AL M40 NW36 VEMV Connector, Metric Thread IP68 - Thread M40x1.5, Fits to NW/F.CK/F.CU Thread Length 13.0mm, C	ended Product Type	BVEMV-M406-13
Catalog Description EMC FTNG PA6/AL M40 NW36 VEMV Connector, Metric Thread IP68 - Thread M40x1.5, Fits to NW/F.CK/F.CU Thread Length 13.0mm, C	duct ID	7TAA292330R0008
Long Description VEMV Connector, Metric Thread IP68 - Thread M40x1.5, Fits to NW/F.CK/F.CU Thread Length 13.0mm, C	1	7630030217074
Long Description Thread Length 13.0mm, C	alog Description	EMC FTNG PA6/AL M40 NW36 13MM BLK
Additional Information	g Description	VEMV Connector, Metric Thread IP68 - Thread M40x1.5, Fits to NW/F.CK/F.CU 36/30/40, Thread Length 13.0mm, Color Black
Additional information	ditional Information	
		For Cable Protection Systems In a Wide Range of Applications

Ordering	
EAN	7630030217074
UPC	786209949226

BVEMV-M406-13 2/3

Technical	
Number of Batteries	(
Color	Black
Material	Polyamide 6 with Nickel Plated Aluminum Threads
Size	NW36 , M40 Thread
Environmental	
WEEE Category	Product Not in WEEE Scope
Container Information	
Package Level 1 Units	1 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in
Certificates and Declarations	
Data Sheet, Technical Information	BVEMV-M406-13
Instructions and Manuals	BVEMV-M406-13
Declaration of Conformity - CE	9AKK107680A0674
Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \rightarrow\ Flexible\ Cable\ Protection\ Systems$

BVEMV-M406-13 3/3

