



PRODUCT-DETAILS

BVIDG-U569GT
FTNG FEM 2-1/4IN NW29 PA6 IP66 BLK



| General Information | |
|-----------------------|---|
| Extended Product Type | BVIDG-U569GT |
| Product ID | 7TAA292610R0065 |
| EAN | 7630030216060 |
| Catalog Description | FTNG FEM 2-1/4IN NW29 PA6 IP66 BLK |
| Long Description | PMAFIX Black Female Thread Adapter with Universal Safety Clip, Material - Polyamide 6, Thread Size - 2-1/4 Inch - 16UN, Nominal Width/Conduit Size - 29 |

| Additional Information | |
|------------------------|--|
| Application | For Use In Machine Building and Vehicle Construction |
| Product Type | Adapters-Female |

| Ordering | |
|----------|---------------|
| EAN | 7630030216060 |
| UPC | 786209949981 |

| | |
|---------------------|--------------------------|
| Technical | |
| Number of Batteries | 0 |
| Color | Black |
| Material | Polyamide 6 |
| Size | NW29 , 2-1/4 Inch Thread |

| | |
|----------------------|---------------------------|
| Environmental | |
| WEEE Category | Product Not in WEEE Scope |

| | |
|--------------------------------|-------------------------|
| Container Information | |
| Package Level 1 Units | 80 EA |
| Package Level 1 Height | 200 mm 7.874 in |
| Package Level 1 Depth / Length | 399.999 mm 15.748 in |
| Package Level 1 Width | 299.999 mm 11.811 in |

| | |
|--------------------------------------|-----------------|
| Certificates and Declarations | |
| Data Sheet, Technical Information | BVIDG-U569GT |
| Instructions and Manuals | BVIDG-U569GT |
| Declaration of Conformity - CE | 9AKK107680A0674 |

| | |
|------------------------|---|
| Classifications | |
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121311 |

| | |
|---|--|
| Categories | |
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems | |

