



PRODUCT-DETAILS

BVND-G098GT
COND FTNG STR G2IN NW48 IP66 BLK



| General Information | |
|-----------------------|--|
| Extended Product Type | BVND-G098GT |
| Product ID | 7TAA292150R0137 |
| EAN | 7630030214035 |
| Catalog Description | COND FTNG STR G2IN NW48 IP66 BLK |
| Long Description | VN Straight Connector, Gas Thread for IP66 Static Conduit - Thread GAS 2 Inch, Fits to Conduit Size NW/Metric 48/50, Color Black |

| Additional Information | |
|------------------------|--|
| Application | For Cable Protection Systems In a Wide Range of Applications |
| Product Type | Fittings for Nylon Flexible Conduits |

| Ordering | |
|----------|---------------|
| EAN | 7630030214035 |
| UPC | 786209950994 |

| | |
|---------------------|----------------------|
| Technical | |
| Number of Batteries | 0 |
| Color | Black |
| Material | Polyamide 6 |
| Size | NW48 , 2 Inch Thread |

| | |
|---------------|---------------------------|
| Environmental | |
| WEEE Category | Product Not in WEEE Scope |

| | |
|--------------------------------|--------------|
| Container Information | |
| Package Level 1 Units | 10 EA |
| Package Level 1 Height | 0 mm 0 in |
| Package Level 1 Depth / Length | 0 mm 0 in |
| Package Level 1 Width | 0 mm 0 in |

| | |
|-----------------------------------|-----------------|
| Certificates and Declarations | |
| Data Sheet, Technical Information | BVND-G098GT |
| Instructions and Manuals | BVND-G098GT |
| Declaration of Conformity - CE | 9AKK107680A0674 |

| | |
|-----------------|---|
| Classifications | |
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121311 |

| | |
|---|--|
| Categories | |
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems | |

