BVND-N022GT 1/3



PRODUCT-DETAILS

BVND-N022GT COND FTNG STR 1/2NPT NW12 IP66 BLK



| General Information | |
|-----------------------|---|
| Extended Product Type | BVND-N022GT |
| Product ID | 7TAA292150R0162 |
| EAN | 7630030213748 |
| Catalog Description | COND FTNG STR 1/2NPT NW12 IP66 BLK |
| Long Description | PMAFIX Straight Black Connector with NPT Threads and Universal Safety Clip, Material - Polyamide 6, Thread Size - 1/2 Inch, Conduit Size NW - 12 |

Additional Information

| Application | For Cable Protection Systems In a Wide Range of Applications |
|--------------|--|
| Product Type | Connectors-Straight |

| Ordering | |
|----------|---------------|
| EAN | 7630030213748 |
| UPC | 786209951243 |

BVND-N022GT 2/3

| Technical | |
|-----------------------------------|---|
| Number of Batteries | 0 |
| Color | Black |
| Material | Polyamide 6 |
| Size | NW12 , 1/42 Inch Thread |
| Environmental | |
| | D. L. M. C. WEEE O. |
| WEEE Category | Product Not in WEEE Scope |
| Container Information | |
| Package Level 1 Units | 100 EA |
| Package Level 1 Height | 0 mm 0 in |
| Package Level 1 Depth / Length | 0 mm 0 in |
| Package Level 1 Width | 0 mm 0 in |
| Certificates and Declarations | |
| Data Sheet, Technical Information | BVND-N022GT |
| Instructions and Manuals | BVND-N022GT |
| Declaration of Conformity - CE | 9AKK107680A0674 |
| Olassifisations | |
| Classifications | |
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121311 |

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$

BVND-N022GT 3/3





