BVND-P296GT 1/3



PRODUCT-DETAILS

BVND-P296GT COND FTNG STR PG29 NW36 IP66 BLK



General Information	
Extended Product Type	BVND-P296GT
Product ID	7TAA292150R0197
EAN	7630030213250
Catalog Description	COND FTNG STR PG29 NW36 IP66 BLK
Long Description	VN Straight Connector for IP66 Static Conduit - Thread PG 29, Fits to Conduit Size NW/Metric 36/40, Thread Length 12.0, Color Black

Additional Information

Application	Use In Railway Vehicle and Heavy Machine Construction
Product Type	Fittings for Nylon Flexible Conduits

Ordering	
EAN	7630030213250
UPC	786209951588

BVND-P296GT 2/3

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 6
Size	NW36 , PG29 Thread
Environmental	
WEEE Category	Product Not in WEEE Scope
Container Information	
Package Level 1 Units	20 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in
Oortification and Doublemations	
Certificates and Declarations	DIAID DOSCOT
Data Sheet, Technical Information	BVND-P296GT
Instructions and Manuals	BVND-P296GT
Declaration of Conformity - CE	9AKK107680A0674
Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Installation\ Products\ \to\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \to\ Flexible\ Cable\ Protection\ Systems$

BVND-P296GT 3/3

