



PRODUCT-DETAILS

BVNV-N022
COND FTNG STR 1/2NPT NW12 IP68 BLK



| General Information | |
|-----------------------|--|
| Extended Product Type | BVNV-N022 |
| Product ID | 7TAA292150R0289 |
| EAN | 7630030231698 |
| Catalog Description | COND FTNG STR 1/2NPT NW12 IP68 BLK |
| Long Description | PMAFIX Straight Black Connector with NPT Threads, Material - Polyamide 6, Thread Size - 1/2 Inch, Conduit Size NW - 12 |

| Additional Information | |
|------------------------|--|
| Application | For Cable Protection Systems In a Wide Range of Applications |
| Product Type | Fittings for Nylon Flexible Conduits |

| Ordering | |
|----------|---------------|
| EAN | 7630030231698 |
| UPC | 786209952462 |

| | |
|---------------------|------------------------|
| Technical | |
| Number of Batteries | 0 |
| Color | Black |
| Material | Polyamide 6 |
| Size | NW12 , 1/2 Inch Thread |

| | |
|----------------------|---------------------------|
| Environmental | |
| WEEE Category | Product Not in WEEE Scope |

| | |
|--------------------------------|-------------------------|
| Container Information | |
| Package Level 1 Units | 250 EA |
| Package Level 1 Height | 219.989 mm 8.661 in |
| Package Level 1 Depth / Length | 399.999 mm 15.748 in |
| Package Level 1 Width | 299.999 mm 11.811 in |

| | |
|--------------------------------------|-----------------|
| Certificates and Declarations | |
| Data Sheet, Technical Information | BVNV-N022 |
| Instructions and Manuals | BVNV-N022 |
| Declaration of Conformity - CE | 9AKK107680A0674 |

| | |
|------------------------|---|
| Classifications | |
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121311 |

| | |
|---|--|
| Categories | |
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems | |

