



PRODUCT-DETAILS

BVNZ-M329GT

CONDFTNG STR M32 NW29 IP68GT BLK



General Information

| | |
|-----------------------|---|
| Extended Product Type | BVNZ-M329GT |
| Product ID | 7TCA292000R0095 |
| EAN | 7630030230806 |
| Catalog Description | CONDFTNG STR M32 NW29 IP68GT BLK |
| Long Description | Straight Black Strain Relief Connector, Material - Polyamide 6, Thread Size - M32x1.5, Conduit Size NW - 29, Terminal Range - 18.0 - 25.0, Single Component Version |

Additional Information

| | |
|--------------|---|
| Application | For Use In Machine and Plant Construction |
| Product Type | Connectors-Strain Relief |

Ordering

| | |
|-----|---------------|
| EAN | 7630030230806 |
| UPC | 786210059143 |

Technical

| | |
|---------------------|-------------------|
| Number of Batteries | 0 |
| Color | Black |
| Material | Polyamide 6 |
| Size | NW29 , M32 Thread |

Environmental

| | |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |
|---------------|---------------------------|

Container Information

| | |
|--------------------------------|---------------------|
| Package Level 1 Units | 20 EA |
| Package Level 1 Height | 0.254 mm 0.01 in |
| Package Level 1 Depth / Length | 0.254 mm 0.01 in |
| Package Level 1 Width | 0.254 mm 0.01 in |

Certificates and Declarations

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | BVNZ-M329GT |
| Instructions and Manuals | BVNZ-M329GT |
| Declaration of Conformity - CE | 9AKK107680A0674 |

Classifications

| | |
|--------|---|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121311 |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

