BVWD-G00MGT 1/3



PRODUCT-DETAILS

BVWD-G00MGT

COND FTNG 90D G1/4IN NW7 IP66 BLK



| General Information | |
|-----------------------|---|
| Extended Product Type | BVWD-G00MGT |
| Product ID | 7TAA292150R0365 |
| EAN | 7630030229398 |
| Catalog Description | COND FTNG 90D G1/4IN NW7 IP66 BLK |
| Long Description | Black VW Connector 90 Degree Elbow, GAS Thread for IP66 - Thread 1/4 Inch, Fits to Conduit Size NW/Metric 7/10 |

| Additional Information | |
|------------------------|--|
| Application | For Cable Protection Systems In a Wide Range of Applications |
| Product Type | Fittings for Nylon Flexible Conduits |

| Ordering | |
|----------|---------------|
| EAN | 7630030229398 |
| UPC | 786209953209 |

BVWD-G00MGT 2/3

| Technical | |
|---------------------|---|
| Number of Batteries | 0 |
| Color | Black |
| Material | High-Grade Specially Formulated Polyamide/Nylon 6 |
| Size | 1/4 Inch GAS |

Environmental

WEEE Category Product Not in WEEE Scope

| Container Information | |
|-----------------------------------|--------------|
| Package Level 1 Units | 100 EA |
| Package Level 1 Height | 0 mm 0 in |
| Package Level 1 Depth / Length | 0 mm 0 in |
| Package Level 1 Width | 0 mm 0 in |

| Certificates and Declarations | |
|--------------------------------------|-----------------|
| Data Sheet, Technical Information | BVWD-G00MGT |
| Instructions and Manuals | BVWD-G00MGT |
| Declaration of Conformity - CE | 9AKK107680A0674 |

| Classifications | |
|-----------------|---|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39131717 |

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$

BVWD-G00MGT 3/3

