BVWD-P366GT 1/3



PRODUCT-DETAILS

BVWD-P366GT

CONDFTNG 90D PG36NW36 IP66 13MM BLK



| General Information | |
|-----------------------|---|
| Extended Product Type | BVWD-P366GT |
| Product ID | 7TAA292150R0412 |
| EAN | 7630030228797 |
| Catalog Description | CONDFTNG 90D PG36NW36 IP66 13MM BLK |
| Long Description | Black VW Connector 90 Degree Elbow, PG Thread for IP66 - Thread 36, Fits to Conduit Size NW/Metric 36/40, Thread Length 13 |

| Additional Information | | |
|------------------------|--|--|
| Application | For Cable Protection Systems In a Wide Range of Applications | |
| Product Type | Fittings for Nylon Flexible Conduits | |

| Ordering | |
|----------|---------------|
| EAN | 7630030228797 |
| UPC | 786209953681 |

BVWD-P366GT 2/3

| Technical | |
|---------------------|---|
| Number of Batteries | 0 |
| Color | Black |
| Material | High-Grade Specially Formulated Polyamide/Nylon 6 |
| Size | PG36 |

Environmental

WEEE Category Product Not in WEEE Scope

| Container Information | |
|-----------------------------------|-------------------------|
| Package Level 1 Units | 40 EA |
| Package Level 1 Height | 200 mm 7.874 in |
| Package Level 1 Depth / Length | 399.999 mm 15.748 in |
| Package Level 1 Width | 299.999 mm 11.811 in |

| Certificates and Declarations | |
|--------------------------------------|-----------------|
| Data Sheet, Technical Information | BVWD-P366GT |
| Instructions and Manuals | BVWD-P366GT |
| Declaration of Conformity - CE | 9AKK107680A0674 |

| Classifications | |
|-----------------|---|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39131717 |

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$

BVWD-P366GT 3/3

